



Burlington WA | 1620 S Walnut St - 98233  
 Corporate Office | 800.755.9295 • 360.757.1400 • 360.757.1402fax  
 Bellingham WA | 805 Orchard Dr Suite 4 - 98225  
 Microbiology | 360.671.0688 • 360.671.1577fax

## Data Report

Client Name: CLG Corp dba Oregon Rain  
 P O Box 579  
 Newberg, OR 97132

Report Date: 4/18/2007  
 Reference Number: 07-02033  
 Project: Annual Source

Collected By: Dan

Date Received: 2/21/2007  
 Supervisor: *dan*

Lab Number: 4570

Sample Description: IBWA Annual Source - Oregon Rain

Sample Date: 2/19/2007

CAS ID#	Analyte	Result	PQL	MDL	Units	DF	Method	Analyzed	Analyst	Batch	Comments
E-10184	ELECTRICAL CONDUCTIVITY	3.28	10	10	uS/cm	1.0	SM2510 B	2/22/2007	SO	EC_070222	
7440-23-5	SODIUM	ND	0.50	0.03	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	
E-11778	HARDNESS	ND	10	0.055	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	
7440-70-2	CALCIUM	ND	1	0.017	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	
7439-95-4	MAGNESIUM	ND	1	0.003	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	

PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.

ND = Not detected above the listed practical quantitation limit (PQL)

D.F. - Dilution Factor



Burlington WA	1620 S Walnut St - 98233
Corporate Office	800.755.9295 • 360.757.1400 • 360.757.1402fax
Bellingham WA	805 Orchard Dr Suite 4 - 98225
Microbiology	360.671.0688 • 360.671.1577fax

April 18, 2007

Page 1 of 1

Dan McGee  
CLG Corp dba Oregon Rain  
P O Box 579  
Newberg, OR 97132

RE: 07-02033 - Annual Source


Dear Dan McGee,

Your project: Annual Source, was received on Wednesday February 21, 2007.  
The following comments are reported for your project:

Total Recoverable Phenolics testing is not required when the Odor result is less than 3 Threshold Odor Number (TON).  
This criteria follows phone conversations with FDA and IBWA on July 16, 2003.

If you have questions phone me at 800 755-9295.

Respectfully Submitted,



Lawrence J Henderson, PhD  
Director of Laboratories

Enclosures Data Report



Burlington WA | 1620 S Walnut St - 98233  
 Corporate Office | 800.755.9295 • 360.757.1400 • 360.757.1402fax  
 Bellingham WA | 805 Orchard Dr Suite 4 - 98225  
 Microbiology | 360.671.0688 • 360.671.1577fax

## IBWA STANDARD OF QUALITY REPORT

Client Name: CLG Corp dba Oregon Rain  
 P O Box 579  
 Newberg, OR 97132

Reference Number: **07-02033**

Project: Annual Source  
 Field ID: IBWA Annual Source  
 Sample Description: Oregon Rain  
 Sampled By: Dan  
 Sample Date: 2/19/2007

Lab Number: 04570  
 Report Date: 4/18/2007  
 Supervisor: *[Signature]*

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Inorganic Chemicals (IOCs)</b>							
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	
7440-38-2	ARSENIC	ND	0.010	0.001	mg/L	200.8	
7440-39-3	BARIUM	ND	1.0	0.010	mg/L	200.8	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	
7440-61-1	URANIUM	ND		0.001	mg/L	200.8	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	
7440-47-3	CHROMIUM	ND	0.05	0.005	mg/L	200.8	
57-12-5	CYANIDE, FREE	ND	0.1	0.040	mg/L	SM4500-CN F	
16984-48-8	FLUORIDE	ND	2.4	0.10	mg/L	300.0	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	
7439-97-6	MERCURY	ND	0.001	0.0002	mg/L	245.1	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	
14797-55-8	NITRATE-N	ND	10	0.10	mg/L	300.0	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	
E-10128	TOTAL NITRATE/NITRITE	ND	10	0.10	mg/L	300.0	
7782-49-2	SELENIUM	ND	0.010	0.005	mg/L	200.8	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 2 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Secondary Inorganic Parameters</b>							
7429-90-5	ALUMINUM	ND	0.2	0.010	mg/L	200.7	
16887-00-6	CHLORIDE	ND	250	1	mg/L	300.0	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	
7439-96-5	MANGANESE	ND	0.05	0.005	mg/L	200.8	
7440-22-4	SILVER	ND	0.025	0.010	mg/L	200.8	
14808-79-8	SULFATE	ND	250	10	mg/L	300.0	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	ND	500	10	mg/L	SM2540 C	
7440-66-6	ZINC	ND	5.0	0.05	mg/L	200.8	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit .



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 3 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Volatile Organic Chemicals (VOCs)</b>							
71-55-6	1,1,1 - TRICHLOROETHANE	ND	30	0.4	ug/L	524.2	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	3	0.4	ug/L	524.2	
75-35-4	1,1 - DICHLOROETHYLENE	ND	2	0.4	ug/L	524.2	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	9	0.4	ug/L	524.2	
107-06-2	1,2 - DICHLOROETHANE	ND	2	0.4	ug/L	524.2	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L	524.2	
71-43-2	BENZENE	ND	1	0.4	ug/L	524.2	
56-23-5	CARBON TETRACHLORIDE	ND	5	0.4	ug/L	524.2	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L	524.2	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L	524.2	
100-41-4	ETHYLBENZENE	ND	700	0.4	ug/L	524.2	
75-09-2	METHYLENE CHLORIDE (DICHLOROME)	ND	3	0.4	ug/L	524.2	
108-90-7	MONOCHLOROBENZENE	ND	50	0.4	ug/L	524.2	
95-50-1	O - DICHLOROBENZENE	ND	600	0.4	ug/L	524.2	
106-46-7	P - DICHLOROBENZENE	ND	75	0.4	ug/L	524.2	
100-42-5	STYRENE	ND	100	0.4	ug/L	524.2	
127-18-4	TETRACHLOROETHYLENE	ND	1	0.4	ug/L	524.2	
108-88-3	TOLUENE	ND	1000	0.4	ug/L	524.2	
79-01-6	TRICHLOROETHYLENE	ND	1	0.4	ug/L	524.2	
75-01-4	VINYL CHLORIDE	ND	2	0.4	ug/L	524.2	
1330-20-7	XYLENES (TOTAL)	ND	1000	0.4	ug/L	524.2	
75-27-4	BROMODICHLOROMETHANE	ND		0.4	ug/L	524.2	
124-48-1	CHLORODIBROMOMETHANE	ND		0.4	ug/L	524.2	
67-86-3	CHLOROFORM	ND		0.4	ug/L	524.2	
75-25-2	BROMOFORM	ND		0.4	ug/L	524.2	
E-14471	TOTAL TRIHALOMETHANE	ND	10	0.4	ug/L	524.2	
1634-04-4	METHYL TERT-BUTYL ETHER	ND	70	0.4	ug/L	524.2	
91-20-3	NAPHTHALENE	ND	300	0.4	ug/L	524.2	
79-34-5	1,1,2,2 - TETRACHLOROETHANE	ND	1	0.4	ug/L	524.2	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.

## IBWA STANDARD OF QUALITY REPORT

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Synthetic Organic Chemicals (SOCs)</b>							
93-72-1	2,4,5 - TP (SILVEX)	ND	10	0.4	ug/L	515.1	
94-75-7	2,4 - D	ND	70	0.2	ug/L	515.1	
15972-60-8	ALACHLOR	ND	2	0.2	ug/L	525.2	
116-06-3	ALDICARB	ND	3	1	ug/L	531.2	
1646-88-4	ALDICARB SULFONE	ND	3	1	ug/L	531.2	
1646-87-3	ALDICARB SULFOXIDE	ND	4	1	ug/L	531.2	
1912-24-9	ATRAZINE	ND	3	0.1	ug/L	525.2	
1563-86-2	CARBOFURAN	ND	40	1	ug/L	531.2	
57-74-9	CHLORDANE	ND	2	0.2	ug/L	525.2	
75-99-0	DALAPON	ND	200	2	ug/L	515.1	
96-12-8	DIBROMOCHLOROPROPANE (DBCP)	ND	0.2	0.04	ug/L	504.1	
88-85-7	DINOSEB	ND	7	0.4	ug/L	515.1	
72-20-8	ENDRIN	ND	2	0.01	ug/L	525.2	
106-93-4	ETHYLENE DIBROMIDE (EDB)	ND	0.05	0.02	ug/L	504.1	
76-44-8	HEPTACHLOR	ND	0.4	0.04	ug/L	525.2	
1024-57-3	HEPTACHLOR EPOXIDE "B"	ND	0.2	0.02	ug/L	525.2	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L	525.2	
72-43-5	METHOXYCHLOR	ND	40	0.1	ug/L	525.2	
23135-22-0	OXYMAL (VYDATE)	ND	200	1	ug/L	531.2	
87-86-5	PENTACHLOROPHENOL	ND	1	0.04	ug/L	525.2	
1918-02-1	PICLORAM	ND	500	0.2	ug/L	515.1	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCBs)	ND	0.5	0.2	ug/L	508.1	
122-34-9	SIMAZINE	ND	4	0.07	ug/L	525.2	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	525.2	
41903-57-5	DIOXIN (2,3,7,8-TETRACHLORODIBENZO)	ND	30	5	pg/L	1613	Analyzed by Pace Analytical
85-00-7	DIQUAT	ND	20	2	ug/L	549.2	
145-73-3	ENDOTHALL	ND	100	20	ug/L	548.1	
1071-83-6	GLYPHOSATE	ND	700	10	ug/L	547	Analyzed by Coffey Laboratories
50-32-8	BENZO(A)PYRENE	ND	0.2	0.02	ug/L	525.2	
103-23-1	DI(2-ETHYLHEXYL)-ADIPATE	ND	400	1.32	ug/L	525.2	
117-81-7	DI(2-ETHYLHEXYL)-PHTHALATE	ND	6	0.6	ug/L	525.2	
118-74-1	HEXACHLOROBENZENE	ND	1	0.1	ug/L	525.2	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.1	ug/L	525.2	
E-10253	TOTAL RECOVERABLE PHENOLICS	NA	1	1	ug/L	420.1	Not Analyzed

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 5 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Water Properties</b>							
E-11712	COLOR	ND	5	5	Color Unit	SM2120 B	
E-10617	TURBIDITY	0.35	0.5	0.02	NTU	SM2130 B	
E-10139	HYDROGEN ION (pH)	7.37	5.0-8.5		pH Units	150.1	
E-11734	ODOR	2	3	1	TON	SM2150	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit .



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 6 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Disinfectants/DBP</b>							
NA	HAA(5)	ND	0.060	0.001	mg/L	552.2	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.





Burlington WA	1620 S Walnut St - 98233
Corporate Office	800.755.9295 • 360.757.1400 • 360.757.1402 fax
Bellingham WA	805 Orchard Dr Suite 4 - 98225
Microbiology	360.671.0688 • 360.671.1577 fax

## Data Report

Client Name: CLG Corp dba Oregon Rain  
 P O Box 579  
 Newberg, OR 97132

Report Date: 4/18/2007  
 Reference Number: 07-02033  
 Project: Annual Source

Collected By: Dan

Date Received: 2/21/2007  
 Supervisor: *do*

Lab Number: 4570

Sample Description: IBWA Annual Source - Oregon Rain

Sample Date: 2/19/2007

CAS ID#	Analyte	Result	PQL	MDL	Units	DF	Method	Analyzed	Analyst	Batch	Comments
E-10184	ELECTRICAL CONDUCTIVITY	3.28	10	10	uS/cm	1.0	SM2510 B	2/22/2007	SO	EC_070222	
7440-23-5	SODIUM	ND	0.50	0.03	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	
E-11778	HARDNESS	ND	10	0.055	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	
7440-70-2	CALCIUM	ND	1	0.017	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	
7439-95-4	MAGNESIUM	ND	1	0.003	mg/L	1.0	200.7	2/22/2007	BJ	200.7-070222A	

PQL = Practical Quantitation Limit is the lowest level that can be achieved within specified limits of precision and accuracy during routine laboratory operating conditions.

ND = Not detected above the listed practical quantitation limit (PQL)

D.F. - Dilution Factor



Burlington WA	1620 S Walnut St - 98233
Corporate Office	800.755.9295 • 360.757.1400 • 360.757.1402fax
Bellingham WA	805 Orchard Dr Suite 4 - 98225
Microbiology	360.671.0688 • 360.671.1577fax

April 18, 2007

Page 1 of 1

Dan McGee  
CLG Corp dba Oregon Rain  
P O Box 579  
Newberg, OR 97132

RE: 07-02033 - Annual Source

Dear Dan McGee,


Your project: Annual Source, was received on Wednesday February 21, 2007.

The following comments are reported for your project:

Total Recoverable Phenolics testing is not required when the Odor result is less than 3 Threshold Odor Number (TON).  
This criteria follows phone conversations with FDA and IBWA on July 16, 2003.

If you have questions phone me at 800 755-9295.

Respectfully Submitted,



Lawrence J Henderson, PhD  
Director of Laboratories

Enclosures Data Report



Burlington WA | 1620 S Walnut St - 98233  
 Corporate Office | 800.755.9295 • 360.757.1400 • 360.757.1402fax  
 Bellingham WA | 805 Orchard Dr Suite 4 - 98225  
 Microbiology | 360.671.0688 • 360.671.1577fax

## IBWA STANDARD OF QUALITY REPORT

Client Name: CLG Corp dba Oregon Rain  
 P O Box 579  
 Newberg, OR 97132

Reference Number: 07-02033

Project: Annual Source  
 Field ID: IBWA Annual Source  
 Sample Description: Oregon Rain  
 Sampled By: Dan  
 Sample Date: 2/19/2007

Lab Number: 04570  
 Report Date: 4/18/2007  
 Supervisor: *[Signature]*

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Inorganic Chemicals (IOCs)</b>							
7440-36-0	ANTIMONY	ND	0.006	0.001	mg/L	200.8	
7440-38-2	ARSENIC	ND	0.010	0.001	mg/L	200.8	
7440-39-3	BARIUM	ND	1.0	0.010	mg/L	200.8	
7440-41-7	BERYLLIUM	ND	0.004	0.001	mg/L	200.8	
7440-61-1	URANIUM	ND		0.001	mg/L	200.8	
7440-43-9	CADMIUM	ND	0.005	0.001	mg/L	200.8	
7440-47-3	CHROMIUM	ND	0.05	0.005	mg/L	200.8	
57-12-5	CYANIDE, FREE	ND	0.1	0.040	mg/L	SM4500-CN F	
16984-48-8	FLUORIDE	ND	2.4	0.10	mg/L	300.0	
7439-92-1	LEAD	ND	0.005	0.001	mg/L	200.8	
7439-97-6	MERCURY	ND	0.001	0.0002	mg/L	245.1	
7440-02-0	NICKEL	ND	0.1	0.001	mg/L	200.8	
14797-55-8	NITRATE-N	ND	10	0.10	mg/L	300.0	
14797-65-0	NITRITE-N	ND	1.0	0.10	mg/L	300.0	
E-10128	TOTAL NITRATE/NITRITE	ND	10	0.10	mg/L	300.0	
7782-49-2	SELENIUM	ND	0.010	0.005	mg/L	200.8	
7440-28-0	THALLIUM	ND	0.002	0.001	mg/L	200.8	

**Notation:**

\* - A Result of "ND" Indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 2 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Secondary Inorganic Parameters</b>							
7429-90-5	ALUMINUM	ND	0.2	0.010	mg/L	200.7	
16887-00-6	CHLORIDE	ND	250	1	mg/L	300.0	
7440-50-8	COPPER	ND	1.0	0.005	mg/L	200.8	
7439-89-6	IRON	ND	0.3	0.050	mg/L	200.7	
7439-96-5	MANGANESE	ND	0.05	0.005	mg/L	200.8	
7440-22-4	SILVER	ND	0.025	0.010	mg/L	200.8	
14808-79-8	SULFATE	ND	250	10	mg/L	300.0	
E-10173	TOTAL DISSOLVED SOLIDS (TDS)	ND	500	10	mg/L	SM2540 C	
7440-66-6	ZINC	ND	5.0	0.05	mg/L	200.8	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit .

## IBWA STANDARD OF QUALITY REPORT

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Volatile Organic Chemicals (VOCs)</b>							
71-55-6	1,1,1 - TRICHLOROETHANE	ND	30	0.4	ug/L	524.2	
79-00-5	1,1,2 - TRICHLOROETHANE	ND	3	0.4	ug/L	524.2	
75-35-4	1,1 - DICHLOROETHYLENE	ND	2	0.4	ug/L	524.2	
120-82-1	1,2,4 - TRICHLOROBENZENE	ND	9	0.4	ug/L	524.2	
107-06-2	1,2 - DICHLOROETHANE	ND	2	0.4	ug/L	524.2	
78-87-5	1,2 - DICHLOROPROPANE	ND	5	0.4	ug/L	524.2	
71-43-2	BENZENE	ND	1	0.4	ug/L	524.2	
56-23-5	CARBON TETRACHLORIDE	ND	5	0.4	ug/L	524.2	
156-59-2	CIS - 1,2 - DICHLOROETHYLENE	ND	70	0.4	ug/L	524.2	
156-60-5	TRANS - 1,2 - DICHLOROETHYLENE	ND	100	0.4	ug/L	524.2	
100-41-4	ETHYLBENZENE	ND	700	0.4	ug/L	524.2	
75-09-2	METHYLENE CHLORIDE (DICHLOROME)	ND	3	0.4	ug/L	524.2	
108-90-7	MONOCHLOROBENZENE	ND	50	0.4	ug/L	524.2	
95-50-1	O - DICHLOROBENZENE	ND	600	0.4	ug/L	524.2	
106-46-7	P - DICHLOROBENZENE	ND	75	0.4	ug/L	524.2	
100-42-5	STYRENE	ND	100	0.4	ug/L	524.2	
127-18-4	TETRACHLOROETHYLENE	ND	1	0.4	ug/L	524.2	
108-88-3	TOLUENE	ND	1000	0.4	ug/L	524.2	
79-01-6	TRICHLOROETHYLENE	ND	1	0.4	ug/L	524.2	
75-01-4	VINYL CHLORIDE	ND	2	0.4	ug/L	524.2	
1330-20-7	XYLENES (TOTAL)	ND	1000	0.4	ug/L	524.2	
75-27-4	BROMODICHLOROMETHANE	ND		0.4	ug/L	524.2	
124-48-1	CHLORODIBROMOMETHANE	ND		0.4	ug/L	524.2	
67-66-3	CHLOROFORM	ND		0.4	ug/L	524.2	
75-25-2	BROMOFORM	ND		0.4	ug/L	524.2	
E-14471	TOTAL TRIHALOMETHANE	ND	10	0.4	ug/L	524.2	
1634-04-4	METHYL TERT-BUTYL ETHER	ND	70	0.4	ug/L	524.2	
91-20-3	NAPHTHALENE	ND	300	0.4	ug/L	524.2	
79-34-5	1,1,2,2 - TETRACHLOROETHANE	ND	1	0.4	ug/L	524.2	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDRW or IBWA.

MRL - Method Reporting Limit.

## IBWA STANDARD OF QUALITY REPORT

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Synthetic Organic Chemicals (SOCs)</b>							
93-72-1	2,4,5 - TP (SILVEX)	ND	10	0.4	ug/L	515.1	
94-75-7	2,4 - D	ND	70	0.2	ug/L	515.1	
15972-60-8	ALACHLOR	ND	2	0.2	ug/L	525.2	
116-06-3	ALDICARB	ND	3	1	ug/L	531.2	
1646-88-4	ALDICARB SULFONE	ND	3	1	ug/L	531.2	
1646-87-3	ALDICARB SULFOXIDE	ND	4	1	ug/L	531.2	
1912-24-9	ATRAZINE	ND	3	0.1	ug/L	525.2	
1563-66-2	CARBOFURAN	ND	40	1	ug/L	531.2	
57-74-9	CHLORDANE	ND	2	0.2	ug/L	525.2	
75-99-0	DALAPON	ND	200	2	ug/L	515.1	
96-12-8	DIBROMOCHLOROPROPANE (DBCP)	ND	0.2	0.04	ug/L	504.1	
88-85-7	DINOSEB	ND	7	0.4	ug/L	515.1	
72-20-8	ENDRIN	ND	2	0.01	ug/L	525.2	
106-93-4	ETHYLENE DIBROMIDE (EDB)	ND	0.05	0.02	ug/L	504.1	
76-44-8	HEPTACHLOR	ND	0.4	0.04	ug/L	525.2	
1024-57-3	HEPTACHLOR EPOXIDE "B"	ND	0.2	0.02	ug/L	525.2	
58-89-9	LINDANE (BHC - GAMMA)	ND	0.2	0.02	ug/L	525.2	
72-43-5	METHOXYCHLOR	ND	40	0.1	ug/L	525.2	
23135-22-0	OXYMAL (VYDATE)	ND	200	1	ug/L	531.2	
87-86-5	PENTACHLOROPHENOL	ND	1	0.04	ug/L	525.2	
1918-02-1	PICLORAM	ND	500	0.2	ug/L	515.1	
1336-36-3	POLYCHLORINATED BIPHENYLS (PCBs)	ND	0.5	0.2	ug/L	508.1	
122-34-9	SIMAZINE	ND	4	0.07	ug/L	525.2	
8001-35-2	TOXAPHENE	ND	3	1	ug/L	525.2	
41903-57-5	DIOXIN (2,3,7,8-TETRACHLORODIBENZO)	ND	30	5	pg/L	1613	Analyzed by Pace Analytical
85-00-7	DIQUAT	ND	20	2	ug/L	549.2	
145-73-3	ENDOTHALL	ND	100	20	ug/L	548.1	
1071-83-6	GLYPHOSATE	ND	700	10	ug/L	547	Analyzed by Coffey Laboratories
50-32-8	BENZO(A)PYRENE	ND	0.2	0.02	ug/L	525.2	
103-23-1	DI(2-ETHYLHEXYL)-ADIPATE	ND	400	1.32	ug/L	525.2	
117-81-7	DI(2-ETHYLHEXYL)-PHTHALATE	ND	6	0.6	ug/L	525.2	
118-74-1	HEXACHLOROBENZENE	ND	1	0.1	ug/L	525.2	
77-47-4	HEXACHLOROCYCLO-PENTADIENE	ND	50	0.1	ug/L	525.2	
E-10253	TOTAL RECOVERABLE PHENOLICS	NA	1	1	ug/L	420.1	Not Analyzed

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 5 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Water Properties</b>							
E-11712	COLOR	ND	5	5	Color Unit	SM2120 B	
E-10617	TURBIDITY	0.35	0.5	0.02	NTU	SM2130 B	
E-10139	HYDROGEN ION (pH)	7.37	5.0-8.5		pH Units	150.1	
E-11734	ODOR	2	3	1	TON	SM2150	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit.



Reference Number: 07-02033

Lab Number: 4570

Report Date: 4/18/2007

## IBWA STANDARD OF QUALITY REPORT

Page 6 of 6

CAS ID#	COMPOUNDS	Result *	MCL	MRL	Units	Method	COMMENT
<b>Disinfectants/DBP</b>							
NA	HAA(5)	ND	0.060	0.001	mg/L	552.2	

**Notation:**

\* - A Result of "ND" indicates that the compound was not detected above the Lab's Method Reporting Limit - MRL.

MCL - Maximum Contaminant Level, maximum permissible level of a contaminant in water established by EPA, NPDWR or IBWA.

MRL - Method Reporting Limit .